

AMENDMENTS TO THE CLAIMS

Please amend the claims without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents, as follows.

1. (Currently Amended) A parasitical spot-on formulation, which comprises:
 - a) an effective amount of an ectoparasitical combination comprising an 1-N-arylpyrazole derivative, wherein the 1-N- arylpyrazole is fipronil, and amitraz;
 - b) a pharmaceutical or veterinary acceptable liquid carrier vehicle; and
 - c) optionally, a crystallization inhibitor.

2. (Previously presented) The parasitical spot-on formulation according to claim 1, wherein
 - the liquid carrier vehicle comprises a solvent and a cosolvent wherein the solvent is selected from the group consisting of acetone, acetonitrile, benzyl alcohol, butyl diglycol, dimethylacetamide, dimethylformamide, dipropylene glycol n-butyl ether, ethylene glycol monoethyl ether, ethylene glycol monomethyl ether, monomethylacetamide, dipropylene glycol monomethyl ether, liquid polyoxyethylene glycols, propylene glycol, 2-pyrrolidone, diethylene glycol monoethyl ether, ethylene glycol, diethyl phthalate fatty acid esters, and a mixture of at least two of these solvents and the cosolvent is selected from the group consisting of ethanol, isopropanol and methanol
 - the crystallization inhibitor selected from the group consisting of an anionic surfactant, a cationic surfactant, a non-ionic surfactant, an amine salt, an amphoteric surfactant or polyvinylpyrrolidone, polyvinyl alcohols, copolymers of vinyl acetate and vinylpyrrolidone, polyethylene glycols, benzyl alcohol, mannitol, glycerol, sorbitol, polyoxyethylenated sorbitan esters, lecithin, sodium carboxymethylcellulose, and acrylic derivatives, and a mixture of these crystallization inhibitors.

3. (Original) The parasitical spot-on composition according to claim 2, wherein the formulation further comprises an antioxidant.

4. (Previously presented) The parasitical spot-on composition according to claim 3, wherein the antioxidant is selected from the group consisting of butylated hydroxyanisole,

butylated hydroxytoluene, ascorbic acid, sodium metabisulphite, propyl gallate and sodium thiosulphate.

5. (Original) The parasitical spot-on formulation according to claim 2, wherein water is present in a proportion of from 0 to about 30% v/v.
6. (Original) The parasitical spot-on formulation according to claim 2, wherein the crystallization inhibitor is present in an amount from about 1 to about 20% w/v.
7. (Original) The parasitical spot-on formulation according to claim 1 which comprises a crystallization inhibitor.
8. (Original) The parasitical spot-on formulation according to claim 2, wherein
 - the anionic surfactant is alkaline stearates, sodium abietate; alkyl sulphates; sodium dodecylbenzenesulphonate, sodium dioctylsulphosuccinate, and fatty acids;
 - the cationic surfactant is water-soluble quaternary ammonium salts of formula $N^+R'R''R'''Y^-$ in which the radicals R independently are hydrocarbon radicals, optionally hydroxylated, and Y^- is an anion of a strong acid;
 - the amine salt is an amine salt of $N^+R'R''R'''$ in which the radicals R independently are optionally hydroxylated hydrocarbon radicals;
 - the non-ionic surfactant is optionally polyoxyethylenated sorbitan esters, polyoxyethylenated alkyl ethers, polyethylene glycol stearate, polyoxyethylenated derivatives of castor oil, polyglycerol esters, polyoxyethylenated fatty alcohols, polyoxyethylenated fatty acids, copolymers of ethylene oxide and propylene oxide; and
 - the amphoteric surfactant is lauryl-substituted betaine compounds.
9. (Original) The parasitical spot-on formulation according to claim 3, wherein the crystallization inhibitor is a crystallization inhibitor system comprising a polymeric film-forming agent and a surfactant.

10. (Original) The parasitological spot-on formulation according to claim 3, wherein the polymeric film-forming agent is polyvinylpyrrolidone, polyvinyl alcohols, or a copolymer of vinyl acetate and polyvinylpyrrolidone and the surfactant is a non-ionic surfactant.

11. (Original) The parasitological spot-on formulation according to claim 10, wherein the crystallization inhibitor system is a mixture of polyvinylpyrrolidone and polyoxethylene (20) sorbitan mono-oleate.

12-22. (Cancelled)

23. (Currently Amended) A parasitological pour-on formulation, which comprises:

- a) an effective amount of an ectoparasitological combination comprising an 1-N-aryl pyrazole derivative, wherein the 1-N- arylpyrazole is fipronil, and amitraz;
 - b) a pharmaceutical or veterinary acceptable liquid carrier vehicle;
 - c) optionally, a crystallization inhibitor;
- optionally, an antioxidant.

24. (Original) The parasitological pour-on formulation according to claim 23, wherein

- the pharmaceutically or veterinary acceptable liquid carrier vehicle which comprise a solvent and a cosolvent wherein the solvent is selected from the group consisting of acetone, acetonitrile, benzyl alcohol, butyl diglycol, dimethylacetamide, dimethylformamide, dipropylene glycol n-butyl ether, ethylene glycol monoethyl ether, ethylene glycol monomethyl ether, monomethylacetamide, dipropylene glycol monomethyl ether, liquid polyoxyethylene glycols, propylene glycol, 2-pyrrolidone, diethylene glycol monoethyl ether, ethylene glycol, diethyl phthalate, fatty acid esters and a mixture of at least two of these solvents and the cosolvent is selected from the group consisting of absolute ethanol, isopropanol and methanol; and
- a crystallization inhibitor selected from the group consisting of an anionic surfactant, a cationic surfactant, a nonionic surfactant, an amine salts, amphoteric surfactant, polyvinylpyrrolidone, polyvinyl alcohols, copolymers of vinyl acetate and vinylpyrrolidone, polyethylene glycols, benzyl alcohol, mannitol, glycerol, sorbitol, polyoxyethylenated sorbitan

esters; lecithin, sodium carboxymethylcellulose, acrylic derivatives and a mixture of these crystallization inhibitors.

25-27. (Cancelled)

28. (Currently Amended) A parasitological spray formulation which comprises

- a) an effective amount of an ectoparasitological combination comprising a 1-N-aryl pyrazole derivative, wherein the 1-N- arylpyrazole is fipronil, and amitraz; and
- b) a pharmaceutical or veterinary acceptable liquid carrier vehicle.

29-45. (Cancelled)

46. (New) The parasitological spot-on composition of any one of claims 1-11, 23, 24 and 28, wherein the composition is prepared by mixing its constituents.

47. (New) The parasitological spot-on composition of claim 46 wherein each of the fipronil and amitraz is an active material, the vehicle includes a solvent as to each active material, and the mixing of the constituents of the compositions comprises each active material being mixed in the solvent as to each active material.

48. (New) The parasitological spot-on composition of claim 47 wherein there are at least two solvents.

49. (New) The parasitological spot-on composition of claim of claim 48 which includes an ester.

50. (New) The parasitological spot-on composition of claim 49 wherein the carrier includes isopropanol, ethanol, methanol, acetone, ether(s), propylene glycol, polyethylene glycol, glycol formal, DGME, or DMSO.

51. (New) The parasitocidal spot-on composition of claim 1 wherein the vehicle includes DMSO.

52. (New) The parasitocidal spot-on composition of claim 1 wherein the vehicle includes polyvinylpyrrolidone.